

MEASURES OF CENTRAL TENDENCY

Subject: BUSINESS STATISTICS

Subject Code: SMCO32

Class : II B. Com

Semester : III

R.TIFFANY
ASSISTANT PROFESSOR
DEPARTMENT OF COMMERCE
HOLY CROSS HOME SCIENCE COLLEGE
THOOTHUKUDI

INTRODUCTION

- The measures of central tendency or average enable us to compare two or more distributions pertaining to the same time period or within the same distribution over time.
- According to Clark, *“Average is an attempt to find one single figure to describe whole of figures.”*

Measures of central tendency include

- ✓ Mean
- ✓ Median
- ✓ Mode

MEAN

Mean can be classified into

- Arithmetic Mean
- Geometric Mean
- Harmonic Mean

Arithmetic Mean

- The most popular and widely used measure of representing the entire data by one value is known as arithmetic mean.
- It is obtained by adding together all the items and by dividing this total by the number of items.
- Arithmetic Mean is of two types. They are
 - Simple Arithmetic Mean
 - Weighted Arithmetic Mean

INDIVIDUAL, DISCRETE & CONTINUOUS SERIES

- **Individual Data Series:**

When data is given on an individual basis where data are listed out and all the observations have a frequency of 1.

E.g.: 5, 8, 12, 25, 28, 35, 80, 85, 91

- **Discrete Data Series:**

When data is given along with their frequencies. Data are listed out along with their corresponding frequency in the form of a table.

E.g.:

Marks X	No. of students f
4	6
8	12
12	18
16	15
20	9

Height (in inches)	No. of students
60	12
62	18
64	10
66	6
68	4

INDIVIDUAL, DISCRETE & CONTINUOUS SERIES

- Continuous Data Series:

When data is given based on ranges along with their frequencies. The class intervals along with their corresponding frequency are listed out in the form of a table.

E.g.:

Class Interval :	0-10	10-20	20-30	30-40	40-50	50-60	60-70
Frequency :	7	18	34	50	35	20	6

ARITHMETIC MEAN – INDIVIDUAL SERIES

Direct Method:

$$\bar{X} = \frac{\sum x}{n} \quad \text{where}$$

\bar{X} = Arithmetic Mean

$\sum x$ = Total of all observations

n = Number of observations

Shortcut Method:

$$\bar{X} = A + \frac{\sum d}{n} \quad \text{where}$$

\bar{X} = Arithmetic Mean

A = Assumed Value

$\sum d = X - A$

n = Number of observations

ARITHMETIC MEAN - INDIVIDUAL SERIES

Calculate arithmetic mean of the weight of 10 students in a class.

S.No.	1	2	3	4	5	6	7	8	9	10
Weight	42	56	49	50	49	53	52	48	47	54

Solution: Direct Method

S.No.	Weight (X)
1	42
2	56
3	49
4	50
5	49
6	53
7	52
8	48
9	47
10	54
	$\Sigma x = 500$

$$\begin{aligned}\bar{X} &= \frac{\Sigma x}{n} \\ &= \frac{500}{10} \\ &= 50\end{aligned}$$

$$\boxed{\bar{X} = 50}$$

ARITHMETIC MEAN - INDIVIDUAL SERIES

Calculate arithmetic mean of the weight of 10 students in a class.

S.No.	1	2	3	4	5	6	7	8	9	10
Weight	42	56	49	50	49	53	52	48	47	54

Solution: Shortcut Method

S.No.	Weight (X)	d = X-A (X-49)
1	42	-7
2	56	7
3	49	0
4	50	1
5	A = 49	0
6	53	4
7	52	3
8	48	-1
9	47	-2
10	54	5
		$\Sigma d = 10$

$$\begin{aligned}\bar{X} &= A + \frac{\Sigma d}{n} \\ &= 49 + \frac{10}{10} \\ &= 49 + 1 \\ &= 50\end{aligned}$$

$$\bar{X} = 50$$

EXCERCISE

1. The marks obtained by 10 students in statistics are given below. Calculate arithmetic mean by direct method and shortcut method.

S.No.	1	2	3	4	5	6	7	8	9	10
Marks	62	43	31	75	55	59	45	42	45	90

2. From the following data calculate arithmetic mean by direct method and shortcut method.

54,56,70,79,89,138,150,220,273,290,300,340

3. Calculate arithmetic mean by direct method and shortcut method.

74,32,56,40,79,84,92,27,30,41,52,67

ARITHMETIC MEAN – DISCRETE SERIES

Direct Method:

$$\bar{X} = \frac{\sum fx}{\sum f} \quad \text{where}$$

\bar{X} = Arithmetic Mean

$\sum f$ = Frequency

Shortcut Method:

$$\bar{X} = A + \frac{\sum fd}{\sum f} \quad \text{where}$$

\bar{X} = Arithmetic Mean

A = Assumed Value

d = X - A

$\sum f$ = Frequency

1. Calculate Arithmetic Mean from the following data

Income	20	30	40	50	60	70	80
No. of Families	12	15	10	13	20	14	16

2. Calculate Arithmetic Mean from the following data through direct & shortcut method

Marks	25	30	35	40	45	50	55	60	65	70
No. of Students	3	8	12	9	4	7	15	5	10	7

3. Calculate Arithmetic Mean from the following data through direct & shortcut method

Daily Wages	32	37	42	44	47	50	55
No. of Workers	4	7	9	20	15	9	3

ARITHMETIC MEAN – CONTINUOUS SERIES

Direct Method:

$$\bar{X} = \frac{\sum fm}{\sum f} \quad \text{where}$$

\bar{X} = Arithmetic Mean

m = Midpoint

$\sum f$ = Total of Frequency

Shortcut Method:

$$\bar{X} = A + \frac{\sum fd}{\sum f} \quad \text{where}$$

\bar{X} = Arithmetic Mean

m = Midpoint

A = Assumed Value

d = m - A

$\sum f$ = Frequency

ARITHMETIC MEAN – CONTINUOUS SERIES

Step Deviation Method:

$$\bar{X} = A + \frac{\sum fd}{\sum f} * C \text{ where}$$

\bar{X} = Arithmetic Mean

m = Midpoint

A = Assumed Value

$$d = \frac{m - A}{C}$$

C = Class Interval

$\sum f$ = Frequency

1. Calculate Arithmetic Mean from the following data through direct & shortcut method

Income	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100
No. of Factories	6	12	15	10	8	4	11	9	14	11

2. Calculate Arithmetic Mean from the following data through shortcut method & step deviation method.

Income	0-10	10-20	20-30	30-40	40-50	50-60
No. of Factories	27	32	57	73	61	46

3. Calculate Arithmetic Mean from the following data through shortcut method & step deviation method

Income	0-10	10-20	20-30	30-40	40-50	50-60	60-70
No. of Factories	4	3	6	11	7	2	2

1. Calculate Arithmetic Mean from the following data through direct & shortcut method

Marks	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99
No. of Students	3	4	7	4	5	7	8	6	4	2

2. Calculate Arithmetic Mean from the following data through shortcut method & step deviation method.

Income	0-10	10-20	20-30	30-40	40-50	50-60
No. of Factories	27	32	57	73	61	46

WEIGHTED ARITHMETIC MEAN

$$\bar{X}_W = \frac{\sum WX}{\sum W} \text{ where}$$

\bar{X}_W = Weighted Arithmetic Mean

$\sum W$ = Total of Weight

1. Calculate the average marks scored by a student in 5 subjects. The marks are English – 85, Tamil – 70, Maths – 90, Science – 60, Social – 55. The weights are English – 1, Tamil – 2, Maths – 5, Science – 4, Social – 3.

HARMONIC MEAN

INDIVIDUAL SERIES

$$H. M = \frac{N}{\sum \left(\frac{1}{x}\right)}$$

DISCRETE SERIES

$$H. M = \frac{N}{\sum \left(\frac{f}{x}\right)}$$

CONTINUOUS SERIES

$$H. M = \frac{N}{\sum \left(\frac{f}{m}\right)}$$

1. Calculate Harmonic Mean

2,97,150,5,285,427,550

2. Calculate Harmonic Mean

Wages	60	45	25	75	80	15	30
No. of Workers	4	9	7	21	6	3	2

3. Calculate Harmonic Mean

X	0-10	10-20	20-30	30-40	40-50	50-60	60-70
F	7	8	20	11	9	3	4

EXERCISE

1. Calculate Harmonic Mean

42,57,21,115,127,39,55

2. Calculate Harmonic Mean

Wages	5	12	17	20	25	30
No. of Workers	3	2	5	9	5	2

3. Calculate Harmonic Mean

X	0-20	20-40	40-60	60-80	80-100
F	4	5	12	8	6

MEDIAN

Median is the middle value of a group of data.

INDIVIDUAL SERIES

- Arrange in ascending order
- To calculate median:

$$\text{Median} = \frac{N+1}{2} \text{ th item}$$

DISCRETE SERIES

- Calculate cumulative frequency
- Calculate Median = $\frac{N+1}{2}$ th item and find out the value in the cumulative frequency column
- The X value corresponding to the cumulative frequency is the median.

MEDIAN

CONTINUOUS SERIES

$$\text{Median} = L + \left(\frac{\frac{N}{2} - \text{c.f.}}{f} \right) * C \quad \text{where}$$

$$\text{Median Class} = \frac{N}{2}$$

L = Lower Value of Median Class

c.f. = Cumulative frequency of the class preceding the Median Class

f = Frequency of Median Class

C = Class interval of Median Class

1. Calculate median from the following data

49,52,47,48,42,55,56,54,50,52,51,59,57,41,43

2. Calculate median from the following data

5,8,12,15,20,25,32,40

3. Calculate median from the following data

Income	500	600	700	800	900	1000	1100	1200	1300
No. of Families	4	6	5	7	15	20	9	3	6

4. Calculate median from the following data

Income	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90
No. of Families	3	9	10	20	16	18	9	4	1

EXERCISE

1. Calculate median from the following data

35,46,29,57,60,73,20,59,50,70.

2. Calculate median from the following data

Wages	20	25	30	35	40	45	50	55
No. of Workers	10	7	12	12	25	15	9	20

3. Calculate median from the following data

C.I	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100
F	7	8	7	8	12	11	6	11	10

MODE

The most frequent number-that is, the number that occurs the highest number of times is mode.

CONTINUOUS SERIES

$$\text{Mode} = L + \left(\frac{f_1 - f_0}{2f_1 - f_0 - f_2} \right) * C \quad \text{where}$$

$$\text{Modal Class} = \frac{N}{2}$$

L = Lower Value of Modal Class

f_1 = Frequency corresponding to the modal class

f_2 = Frequency corresponding to the post-modal class

f_0 = Frequency corresponding to the pre-modal class

C = Class interval of Median Class

1. Calculate mode

12,14,16,18,26,16,20,16,11,12,16,15,20,24

2. Calculate mode

X	4	7	11	16	25
f	3	9	14	21	13

3. Calculate mode

C.I	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
f	4	7	15	11	6	9	4	3

4. Calculate mode

C.I	0-15	15-30	30-45	45-60	60-75	75-90	90-105
f	12	7	15	20	9	7	5

INTER-RELATION BETWEEN MEAN, MODE AND MEDIAN

$$\text{Mode} = 3 \text{ Median} - 2 \text{ Mean}$$

In a distribution, mean and median are 62.5 and 65.2 respectively. Calculate mode.

1. Calculate mean, median and mode

273,54,79,138,56,89,220,340,300,290,150,70

2. Calculate mean, median and mode

X	25	50	35	45	20	55	30	40
f	7	9	12	15	10	20	12	25

3. Calculate mean, median and mode

C.I	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80
f	10	12	15	37	52	35	11	4

EXERCISE

1. Calculate mean, median and mode

273,54,79,138,56,89,220,340,300,290,150,70

2. Calculate mean, median and mode

X	20	25	30	35	40	45	50	55
f	10	7	12	12	25	15	9	20

3. Calculate mean, median and mode

C.I	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90
f	3	9	10	20	16	18	9	4	1

GEOMETRIC MEAN

INDIVIDUAL SERIES

$$G. M = \text{Antilog} \frac{\sum \log x}{N}$$

DISCRETE SERIES

$$G. M = \text{Antilog} \frac{\sum f \log x}{\sum f}$$

CONTINUOUS SERIES

$$G. M = \text{Antilog} \frac{\sum f \log m}{\sum f}$$

LOGARITHMS

	0	1	2	3	4	5	6	7	8	9	Mean Difference								
											1	2	3	4	5	6	7	8	9
10	0000	0043	0086	0128	0170	0212	0253	0294	0334	0374	4	8	12	17	21	25	29	33	37
11	0414	0453	0492	0531	0569	0607	0645	0682	0719	0755	4	8	11	15	19	23	26	30	34
12	0792	0828	0864	0899	0934	0969	1004	1038	1072	1106	3	7	10	14	17	21	24	28	31
13	1139	1173	1206	1239	1271	1303	1335	1367	1399	1430	3	6	10	13	16	19	23	26	29
14	1461	1492	1523	1553	1584	1614	1644	1673	1703	1732	3	6	9	12	15	18	21	24	27
15	1761	1790	1818	1847	1875	1903	1931	1959	1987	2014	3	6	8	11	14	17	20	22	25
16	2041	2068	2095	2122	2148	2175	2201	2227	2253	2279	3	5	8	11	13	16	18	21	24
17	2304	2330	2355	2380	2405	2430	2455	2480	2504	2529	2	5	7	10	12	15	17	20	22
18	2553	2577	2601	2625	2648	2672	2695	2718	2742	2765	2	5	7	9	12	14	16	19	21
19	2788	2810	2833	2856	2878	2900	2923	2945	2967	2989	2	4	7	9	11	13	16	18	20
20	3010	3032	3054	3075	3096	3118	3139	3160	3181	3201	2	4	6	8	11	13	15	17	19
21	3222	3243	3263	3284	3304	3324	3345	3365	3385	3404	2	4	6	8	10	12	14	16	18
22	3424	3444	3464	3483	3502	3522	3541	3560	3579	3598	2	4	6	8	10	12	14	15	17
23	3617	3636	3655	3674	3692	3711	3729	3747	3766	3784	2	4	6	7	9	11	13	15	17
24	3802	3820	3838	3856	3874	3892	3909	3927	3945	3962	2	4	5	7	9	11	12	14	16
25	3979	3997	4014	4031	4048	4065	4082	4099	4116	4133	2	3	5	7	9	10	12	14	15
26	4150	4166	4183	4200	4216	4232	4249	4265	4281	4298	2	3	5	7	8	10	11	13	15
27	4314	4330	4346	4362	4378	4393	4409	4425	4440	4456	2	3	5	6	8	9	11	13	14
28	4472	4487	4502	4518	4533	4548	4564	4579	4594	4609	2	3	5	6	8	9	11	12	14
29	4624	4639	4654	4669	4683	4698	4713	4728	4742	4757	1	3	4	6	7	9	10	12	13
30	4771	4786	4800	4814	4829	4843	4857	4871	4886	4900	1	3	4	6	7	9	10	11	13
31	4914	4928	4942	4955	4969	4983	4997	5011	5024	5038	1	3	4	6	7	8	10	11	12
32	5051	5065	5079	5092	5105	5119	5132	5145	5159	5172	1	3	4	5	7	8	9	11	12
33	5185	5198	5211	5224	5237	5250	5263	5276	5289	5302	1	3	4	5	6	8	9	10	12
34	5315	5328	5340	5353	5366	5378	5391	5403	5416	5428	1	3	4	5	6	8	9	10	11
35	5441	5453	5465	5478	5490	5502	5514	5527	5539	5551	1	2	4	5	6	7	9	10	11
36	5563	5575	5587	5599	5611	5623	5635	5647	5658	5670	1	2	4	5	6	7	8	10	11
37	5682	5694	5705	5717	5729	5740	5752	5763	5775	5786	1	2	3	5	6	7	8	9	10
38	5798	5809	5821	5832	5843	5855	5866	5877	5888	5899	1	2	3	5	6	7	8	9	10
39	5911	5922	5933	5944	5955	5966	5977	5988	5999	6010	1	2	3	4	5	7	8	9	10
40	6021	6031	6042	6053	6064	6075	6085	6096	6107	6117	1	2	3	4	5	6	8	9	10
41	6128	6138	6149	6160	6170	6180	6191	6201	6212	6222	1	2	3	4	5	6	7	8	9
42	6232	6243	6253	6263	6274	6284	6294	6304	6314	6325	1	2	3	4	5	6	7	8	9
43	6335	6345	6355	6365	6375	6385	6395	6405	6415	6425	1	2	3	4	5	6	7	8	9
44	6435	6445	6454	6464	6474	6484	6493	6503	6513	6522	1	2	3	4	5	6	7	8	9
45	6532	6542	6551	6561	6571	6580	6590	6599	6609	6618	1	2	3	4	5	6	7	8	9
46	6628	6637	6646	6656	6665	6675	6684	6693	6702	6712	1	2	3	4	5	6	7	7	8
47	6721	6730	6739	6749	6758	6767	6776	6785	6794	6803	1	2	3	4	5	5	6	7	8
48	6812	6821	6830	6839	6848	6857	6866	6875	6884	6893	1	2	3	4	4	5	6	7	8
49	6902	6911	6920	6928	6937	6946	6955	6964	6972	6981	1	2	3	4	4	5	6	7	8
50	6990	6998	7007	7016	7024	7033	7042	7050	7059	7067	1	2	3	3	4	5	6	7	8
51	7076	7084	7093	7101	7110	7118	7126	7135	7143	7152	1	2	3	3	4	5	6	7	8
52	7160	7168	7177	7185	7193	7202	7210	7218	7226	7235	1	2	2	3	4	5	6	7	7
53	7243	7251	7259	7267	7275	7284	7292	7300	7308	7316	1	2	2	3	4	5	6	6	7
54	7324	7332	7340	7348	7356	7364	7372	7380	7388	7396	1	2	2	3	4	5	6	6	7
	0	1	2	3	4	5	6	7	8	9	1	2	3	4	5	6	7	8	9

LOGARITHMS

	0	1	2	3	4	5	6	7	8	9	Mean Difference								
											1	2	3	4	5	6	7	8	9
55	7404	7412	7419	7427	7435	7443	7451	7459	7466	7474	1	2	2	3	4	5	5	6	7
56	7482	7490	7497	7505	7513	7520	7528	7536	7543	7551	1	2	2	3	4	5	5	6	7
57	7559	7566	7574	7582	7589	7597	7604	7612	7619	7627	1	2	2	3	4	5	5	6	7
58	7634	7642	7649	7657	7664	7672	7679	7686	7694	7701	1	1	2	3	4	4	5	6	7
59	7709	7716	7723	7731	7738	7745	7752	7760	7767	7774	1	1	2	3	4	4	5	6	7
60	7782	7789	7796	7803	7810	7818	7825	7832	7839	7846	1	1	2	3	4	4	5	6	6
61	7853	7860	7868	7875	7882	7889	7896	7903	7910	7917	1	1	2	3	4	4	5	6	6
62	7924	7931	7938	7945	7952	7959	7966	7973	7980	7987	1	1	2	3	3	4	5	6	6
63	7993	8000	8007	8014	8021	8028	8035	8041	8048	8055	1	1	2	3	3	4	5	5	6
64	8062	8069	8075	8082	8089	8096	8102	8109	8116	8122	1	1	2	3	3	4	5	5	6
65	8129	8136	8142	8149	8156	8162	8169	8176	8182	8189	1	1	2	3	3	4	5	5	6
66	8195	8202	8209	8215	8222	8228	8235	8241	8248	8254	1	1	2	3	3	4	5	5	6
67	8261	8267	8274	8280	8287	8293	8299	8306	8312	8319	1	1	2	3	3	4	5	5	6
68	8325	8331	8338	8344	8351	8357	8363	8370	8376	8382	1	1	2	3	3	4	4	5	6
69	8388	8395	8401	8407	8414	8420	8426	8432	8439	8445	1	1	2	2	3	4	4	5	6
70	8451	8457	8463	8470	8476	8482	8488	8494	8500	8506	1	1	2	2	3	4	4	5	6
71	8513	8519	8525	8531	8537	8543	8549	8555	8561	8567	1	1	2	2	3	4	4	5	5
72	8573	8579	8585	8591	8597	8603	8609	8615	8621	8627	1	1	2	2	3	4	4	5	5
73	8633	8639	8645	8651	8657	8663	8669	8675	8681	8686	1	1	2	2	3	4	4	5	5
74	8692	8698	8704	8710	8716	8722	8727	8733	8739	8745	1	1	2	2	3	4	4	5	5
75	8751	8756	8762	8768	8774	8779	8785	8791	8797	8802	1	1	2	2	3	3	4	5	5
76	8808	8814	8820	8825	8831	8837	8842	8848	8854	8859	1	1	2	2	3	3	4	5	5
77	8865	8871	8876	8882	8887	8893	8898	8904	8910	8915	1	1	2	2	3	3	4	4	5
78	8921	8927	8932	8938	8943	8949	8954	8960	8965	8971	1	1	2	2	3	3	4	4	5
79	8976	8982	8987	8993	8998	9004	9009	9015	9020	9025	1	1	2	2	3	3	4	4	5
80	9031	9036	9042	9047	9053	9058	9063	9069	9074	9079	1	1	2	2	3	3	4	4	5
81	9085	9090	9096	9101	9106	9112	9117	9122	9128	9133	1	1	2	2	3	3	4	4	5
82	9138	9143	9149	9154	9159	9165	9170	9175	9180	9186	1	1	2	2	3	3	4	4	5
83	9191	9196	9201	9206	9212	9217	9222	9227	9232	9238	1	1	2	2	3	3	4	4	5
84																			

ANTILOGARITHMS

ANTILOGARITHMS

	0	1	2	3	4	5	6	7	8	9	Mean Difference								
											1	2	3	4	5	6	7	8	9
.00	1000	1002	1005	1007	1009	1012	1014	1016	1019	1021	0	0	1	1	1	1	2	2	2
.01	1023	1026	1028	1030	1033	1035	1038	1040	1042	1045	0	0	1	1	1	1	2	2	2
.02	1047	1050	1052	1054	1057	1059	1062	1064	1067	1069	0	0	1	1	1	1	2	2	2
.03	1072	1074	1076	1079	1081	1084	1086	1089	1091	1094	0	0	1	1	1	1	2	2	2
.04	1096	1099	1102	1104	1107	1109	1112	1114	1117	1119	0	1	1	1	1	2	2	2	2
.05	1122	1125	1127	1130	1132	1135	1138	1140	1143	1146	0	1	1	1	1	2	2	2	2
.06	1148	1151	1153	1156	1159	1161	1164	1167	1169	1172	0	1	1	1	1	2	2	2	2
.07	1175	1178	1180	1183	1186	1189	1191	1194	1197	1199	0	1	1	1	1	2	2	2	2
.08	1202	1205	1208	1211	1213	1216	1219	1222	1225	1227	0	1	1	1	1	2	2	2	3
.09	1230	1233	1236	1239	1242	1245	1247	1250	1253	1256	0	1	1	1	1	2	2	2	3
.10	1259	1262	1265	1268	1271	1274	1276	1279	1282	1285	0	1	1	1	1	2	2	2	3
.11	1288	1291	1294	1297	1300	1303	1306	1309	1312	1315	0	1	1	1	2	2	2	2	3
.12	1318	1321	1324	1327	1330	1334	1337	1340	1343	1346	0	1	1	1	2	2	2	2	3
.13	1349	1352	1355	1358	1361	1365	1368	1371	1374	1377	0	1	1	1	2	2	2	2	3
.14	1380	1384	1387	1390	1393	1396	1400	1403	1406	1409	0	1	1	1	2	2	2	2	3
.15	1413	1416	1419	1422	1426	1429	1432	1435	1439	1442	0	1	1	1	2	2	2	2	3
.16	1445	1449	1452	1455	1459	1462	1466	1469	1472	1476	0	1	1	1	2	2	2	2	3
.17	1479	1483	1486	1489	1493	1496	1500	1503	1507	1510	0	1	1	1	2	2	2	2	3
.18	1514	1517	1521	1524	1528	1531	1535	1538	1542	1545	0	1	1	1	2	2	2	2	3
.19	1549	1552	1556	1560	1563	1567	1570	1574	1578	1581	0	1	1	1	2	2	2	2	3
.20	1585	1589	1592	1596	1600	1603	1607	1611	1614	1618	0	1	1	1	2	2	2	2	3
.21	1622	1626	1629	1633	1637	1641	1644	1648	1652	1656	0	1	1	1	2	2	2	2	3
.22	1660	1663	1667	1671	1675	1679	1683	1687	1690	1694	0	1	1	1	2	2	2	2	3
.23	1698	1702	1706	1710	1714	1718	1722	1726	1730	1734	0	1	1	1	2	2	2	2	3
.24	1738	1742	1746	1750	1754	1758	1762	1766	1770	1774	0	1	1	1	2	2	2	2	3
.25	1778	1782	1786	1791	1795	1799	1803	1807	1811	1816	0	1	1	1	2	2	2	2	3
.26	1820	1824	1828	1832	1837	1841	1845	1849	1854	1858	0	1	1	1	2	2	2	2	3
.27	1862	1866	1871	1875	1879	1884	1888	1892	1897	1901	0	1	1	1	2	2	2	2	3
.28	1905	1910	1914	1919	1923	1928	1932	1936	1941	1945	0	1	1	1	2	2	2	2	3
.29	1950	1954	1959	1963	1968	1972	1977	1982	1986	1991	0	1	1	1	2	2	2	2	3
.30	1995	2000	2004	2009	2014	2018	2023	2028	2032	2037	0	1	1	1	2	2	2	2	3
.31	2042	2046	2051	2056	2061	2065	2070	2075	2080	2084	0	1	1	1	2	2	2	2	3
.32	2089	2094	2099	2104	2109	2113	2118	2123	2128	2133	0	1	1	1	2	2	2	2	3
.33	2138	2143	2148	2153	2158	2163	2168	2173	2178	2183	0	1	1	1	2	2	2	2	3
.34	2188	2193	2198	2203	2208	2213	2218	2223	2228	2234	1	1	2	2	2	2	2	2	3
.35	2239	2244	2249	2254	2259	2265	2270	2275	2280	2286	1	1	2	2	2	2	2	2	3
.36	2291	2296	2301	2307	2312	2317	2323	2328	2333	2339	1	1	2	2	2	2	2	2	3
.37	2344	2350	2355	2360	2366	2371	2377	2382	2388	2393	1	1	2	2	2	2	2	2	3
.38	2399	2404	2410	2415	2421	2427	2432	2438	2443	2449	1	1	2	2	2	2	2	2	3
.39	2455	2460	2466	2472	2477	2483	2489	2495	2500	2506	1	1	2	2	2	2	2	2	3
.40	2512	2518	2523	2529	2535	2541	2547	2553	2559	2564	1	1	2	2	2	2	2	2	3
.41	2570	2576	2582	2588	2594	2600	2606	2612	2618	2624	1	1	2	2	2	2	2	2	3
.42	2630	2636	2642	2649	2655	2661	2667	2673	2679	2685	1	1	2	2	2	2	2	2	3
.43	2692	2698	2704	2710	2716	2723	2729	2735	2742	2748	1	1	2	2	2	2	2	2	3
.44	2754	2761	2767	2773	2780	2786	2793	2799	2805	2812	1	1	2	2	2	2	2	2	3
.45	2818	2825	2831	2838	2844	2851	2858	2864	2871	2877	1	1	2	2	2	2	2	2	3
.46	2884	2891	2897	2904	2911	2917	2924	2931	2938	2944	1	1	2	2	2	2	2	2	3
.47	2951	2958	2965	2972	2979	2985	2992	2999	3006	3013	1	1	2	2	2	2	2	2	3
.48	3020	3027	3034	3041	3048	3055	3062	3069	3076	3083	1	1	2	2	2	2	2	2	3
.49	3090	3097	3105	3112	3119	3126	3133	3141	3148	3155	1	1	2	2	2	2	2	2	3

	0	1	2	3	4	5	6	7	8	9	Mean Difference								
											1	2	3	4	5	6	7	8	9
.50	3162	3170	3177	3184	3192	3199	3206	3214	3221	3228	1	1	2	2	2	2	2	2	3
.51	3236	3243	3251	3258	3266	3273	3281	3289	3296	3304	1	2	2	2	2	2	2	2	3
.52	3311	3319	3327	3334	3342	3350	3357	3365	3373	3381	1	2	2	2	2	2	2	2	3
.53	3388	3396	3404	3412	3420	3428	3436	3443	3451	3459	1	2	2	2	2	2	2	2	3
.54	3467	3475	3483	3491	3499	3508	3516	3524	3532	3540	1	2	2	2	2	2	2	2	3
.55	3548	3556	3565	3573	3581	3589	3597	3606	3614	3622	1	2	2	2	2	2	2	2	3
.56	3631	3639	3648	3656	3664	3673	3681	3690	3698	3707	1	2	2	2	2	2	2	2	3
.57	3715	3724	3733	3741	3750	3758	3767	3776	3784	3793	1	2	2	2	2	2	2	2	3
.58	3802	3811	3819	3828	3837	3846	3855	3864	3873	3882	1	2	2	2	2	2	2	2	3
.59	3890	3899	3908	3917	3926	3936	3945	3954	3963	3972	1	2	2	2	2	2	2	2	3
.60	3981	3990	3999	4009	4018	4027	4036	4046	4055	4064	1	2	2	2	2	2	2	2	3
.61	4074	4083	4093	4102	4111	4121	4130	4140	4150	4159	1	2	2	2	2	2	2	2	3
.62	4169	4178	4188	4198	4207	4217	4227	4236	4246	4256	1	2	2	2	2	2	2	2	3
.63	4266	4276	4285	4295	4305	4315	4325	4335	4345	4355	1	2	2	2	2	2	2	2	3
.64	4365	4375	4385	4395	4406	4416	4426	4436	4446	4457	1	2	2	2	2	2	2	2	3
.65	4467	4477	4487	4498	4508	4519	4529	4539	4550	4560	1	2	2	2	2	2	2	2	3
.66	4571	4581	4592	4603	4613	4624	4634	4645	4656	4667	1	2	2	2	2	2	2	2	3
.67	4677	4688	4699	4710	4721	4732	4742	4753	4764	4775	1	2	2	2	2	2	2	2	3
.68	4786	4797	4808	4819	4831	4842	4853	4864	4875	4887	1	2	2	2	2	2	2	2	3
.69	4898	4909	4920	4932	4943	4955	4966	4977	4989	5000	1	2	2	2	2	2	2	2	3
.70	5012	5023	5035	5047	5058	5070	5082	5093	5105	5117	1	2	2	2	2	2	2	2	3
.71	5129	5140	5152	5164	5176	5188	5200	5212	5224	5236	1	2	2	2	2	2	2	2	3
.72	5248	5260	5272	5284	5297	5309	5321	5333	5346	5358	1	2	2	2	2	2	2	2	3
.73	5370	5383	5395	5408	5420	5433	5445	5458	5470	5483	1	2	2	2	2	2	2	2	3
.74	5495	5508	5521	5534	5546	5559	5572	5585	5598	5610	1	2	2	2	2	2	2	2	3
.75	5623	5636	5649	5662	5675	5689	5702	5715	5728	5741	1								

1. Calculate geometric mean

25,37,356,545,976,500,750

2. Calculate geometric mean

X	15.5	22.3	36.4	17.8	21.9
f	7	16	9	4	6

3. Calculate geometric mean

C.I	0-100	100-200	200-300	300-400	400-500	500-600	600-700	700-800
f	20	15	12	13	5	25	17	5

EXERCISE

1. Calculate geometric mean

44,49,51,46,48,52,47,45,44,50,49,48

2. Calculate geometric mean

X	45	52	59	62	75	80
f	3	9	6	5	2	1

3. Calculate geometric mean

C.I	0-10	10-20	20-30	30-40	40-50	50-60	60-70
f	5	7	12	8	9	5	4